

FORESPAR®

TECH
TIPS

LANOCOTE®

How does LanoCote® work?

LanoCote® works on five basic principals:

1. Displaces water
2. Absorbs corrosion
3. Forms moisture barrier
4. Penetrates
5. Has high lubricity

LanoCote® prevents dissimilar metal galvanization



LanoCote® is extremely effective in preventing and stopping corrosion on all types of metals under all environmental conditions. Formulated to withstand saltwater marine conditions, LanoCote® is particularly useful in preventing thread seizure due to all types of corrosion on boats and machinery. Applied during assembly, LanoCote® will greatly assist in easy dismantling years later. An example would be anchor shackles, which are regularly immersed in salt water. LanoCote® also combats galvanization where dissimilar metals are fastened together, such as stainless steel fittings and fasteners on aluminum masts.

USE ON:

- ◆ Turnbuckles-keeps them from seizing
- ◆ Anchor shackles-stops threads from seizing
- ◆ Stainless fasteners into aluminum mast and booms-stops corrosion and metal pitting
- ◆ Fasteners into wind-shield frames-stops corrosion
- ◆ Metal hinges-stops corrosion and squeaking
- ◆ Outboard motor lower unit hinges, locks and mechanisms
- ◆ Any metallic item that is susceptible to corrosion

- # 770001 4 oz. jar
- # 770003 16 oz. jar
- # 770007 8 oz spray



Forespar®

22322 Gilberto Rancho Santa Margarita, CA. 92688

Ph: 949-858-8820 Fax: 949-858-0505

www.forespar.com sales@forespar.com