

WHISKER POLE CHECKLIST

Part #	Description	Qty./Length	Pole Weights
Up to 16 Feet-Working Headsail only/Light air			
404000	ADJ 4-8 Whisker Pole (Latch-Spike)	1	2.75 lbs.
404100	ADJ 4-8 DL Whisker Pole (Double Latch)	1	2.75 lbs.
941022	MF 673 Tube Clip (For storage)	2	
Up to 16 Feet-Genoa or Heavy Air			
406000	ADJ 6-12 Whisker Pole (Latch-Spike)	1	3 lbs.
406100	ADJ 6-12 DL Whisker Pole (Double Latch)	1	3 lbs.
941023	MF 674 Tube Clip (For storage)	2	
406300	HD 6-12 DL Whisker Pole (Dbl.Latch-Heavy Duty)	1	8 lbs.
400001	PE-3-SF S/S Mast Pad Eye (For HD6-12DL)	1	
300050	SC-200 Stanchion Chock (For storage HD6-12DL)	2	
Up to 22 Feet-Working Headsail only/Light air			
406000	ADJ 6-12 Whisker Pole (Latch-Spike)	1	3 lbs.
406100	ADJ 6-12 DL Whisker Pole (Double Latch)	1	3 lbs.
941023	MF 674 Tube Clip (For storage)	2	
Up to 22 Feet-Genoa or Heavy Air			
406300	HD 6-12 DL Whisker Pole (Dbl.Latch-Heavy Duty)	1	8 lbs.
400001	PE-3-SC S/S Mast Pad Eye (For HD6-12DL)	1	
300050	SC-200 Stanchion Chock (For storage HD6-12DL)	2	
Up to 25 Feet-Working Headsail only/Light Air			
406300	HD 6-12 DL Whisker Pole (Dbl.Latch-Heavy Duty)	1	8 lbs.
400002	PE-3-SC S/S Mast Pad Eye (For HD6-12DL)	1	
300050	SC-200 Stanchion Chock (For storage HD6-12DL)	2	
Up to 25 Feet-Genoa or Heavy Air			
407101	ADJ 7-15 DL Whisker Pole (Double Latch)	1	9 lbs.
400002	PE-3-SC S/S Mast Pad Eye (For HD6-12DL)	1	
300050	SC-200 Stanchion Chock (For storage ADJ 7-17 DL)	2	
400001	PE-3SF S/S Mast Pad Eye (Flat Base)	1	
Up to 28 Feet-Working Headsail only/Light Air			
407101	ADJ 7-15 DL Whisker Pole (Double Latch)	1	9 lbs.
400001	PE-3SF S/S Mast Pad Eye (Flat Base)	1	
400002	PE-3SC S/S Mast Pad Eye (Curved Base)	1	
300050	SC-200 Stanchion Chock (For storage)	2	

WHISKER POLE CHECKLIST cont.

Part #	Description	Qty./Length	Pole Weights
Up to 28 Feet-Genoa or Heavy Air			
401106	LC 10-18 EL-UXP Whisker Pole	1	17 lbs.
401107	LC 10-18 EL-UTR Whisker Pole	1	17 lbs.
300042	SC-250 Stanchion Chock (For storage)	2	
331000	RC-125 S/S Ring Car (No vertical storage)	1	
332002	FC-125 Heavy Duty Car (Vertical storage O.K.)	1	
335100	VPC-125-250 Vertical Pole Storage Car (2-1/2")	1	
300002	DC-2 Deck Chock	2	
339008	1 1/4" T Track - 10ft section	1	
339009	MS 125 Marleon end stops	2	
Up to 33 Feet-Working Headsail only/Light Air			
401106	LC 10-18 EL-UXP Whisker Pole	1	17 lbs.
401107	LC 10-18 EL-UTR Whisker Pole	1	17 lbs.
300042	SC-250 Stanchion Chock (For storage)	2	
331000	RC-125 S/S Ring Car (No vertical storage)	1	
332002	FC-125 Heavy Duty Car (Vertical storage O.K.)	1	
335100	VPC-125-250 Vertical Pole Storage Car (2-1/2")	1	
300002	DC-2 Deck Chock 1) FOR MAST - 2) FOR DECK	3	
339008	1 1/4" T track - 10ft section (START 2 FEET OFF DECK)	1	
339009	MS 125 Marleon end stops	2	
Up to 33 Feet-Genoa or Heavy Air			
402200	LC 12-22 UXP-UTR Whisker Pole	1	27 lbs.
402201	LC 12-22 UTS-UTR Whisker Pole	1	28 lbs.
402203	LC 12-22 UTS-UTR 50/50 Combo Whisker Pole	1	24 lbs.
800802	All Carbon LC 12-22 UTS-UTR Whisker Pole	1	19 lbs.
300043	SC-300 Stanchion Chock	2	
331000	RC-125 S/S Ring Car (No vertical storage)	1	
332002	FC-125 Heavy Duty Car (Vertical storage O.K.)	1	
333004	T-125-S S/S Toggle Car (Vertical Storage O.K.)	1	
335101	VPC-125-300 Vertical Pole Storage Car (3")	1	
300002	DC-2 Deck Chock 1) MAST - 2) DECK 402200 ONLY	3	
300072	3 " Mast mount chock	1	
339008	1 1/4" T Track - 10 ft (START 3 FEET OFF DECK)	1	
339009	MS - 125 Marelon end stops	2	
300013	DC-TS (INBOARD END DECK CHOCK-402201, 402203, 800802) USE 300002 FOR OUTBOARD END-ALL. 1) MAST AND 1) DECK	1	

WHISKER POLE CHECKLIST cont.

Part #	Description	Qty./Length	Pole Weights
Up to 35 Feet-Working Headsail only/Light Air			
402200	LC 12-22 UXP-UTR Whisker Pole	1	27 lbs.
402201	LC 12-22 UTS-UTR Whisker Pole	1	28 lbs.
402203	LC 12-22 UTS-UTR 50/50 Combo Whisker Pole	1	24 lbs.
800802	All Carbon LC 12-22 UTS-UTR Whisker Pole	1	19 lbs.
300043	SC-300 Stanchion Chock	2	
331000	RC-125 S/S Ring Car (No vertical storage)	1	
332002	FC-125 Heavy Duty Car (Vertical storage O.K.)	1	
333004	T-125-S S/S Toggle Car (Vertical Storage O.K.)	1	
335101	VPC-125-300 Vertical Pole Storage Car (3")	1	
300002	DC-2 Deck Chock 1) MAST - 2) DECK 402200 ONLY	3	
300013	DC-TS- Deck Chock (TS & UTS ends)	1	
339008	1 1/4" T Track - 10 ft (START 3 FEET OFF DECK)	1	
339009	MS - 125 Marelou end stops	2	
300013	DC-TS (INBOARD END DECK CHOCK-402201, 402203, 800802) USE 300002 FOR OUTBOARD END-ALL. 1) MAST AND 1) DECK	1	
Up to 35 Feet-Genoa or Heavy Air			
403200	LC 13-24 UXP-UXP Whisker Pole	1	38 lbs.
403202	LC 13-24 UTS-UTR Whisker Pole	1	39 lbs.
403203	LC 13-24 UTS-UTR 50/50 Combo Whisker Pole	1	34 lbs.
800800	All Carbon LC 13-24 UTS-UTR	1	24 lbs.
300044	SC-350 Stanchion Chock	2	
332002	FC-125 Heavy Duty Car (Vertical storage O.K.)	1	
333004	T-125-S S/S Toggle Car (Vertical Storage O.K.)	1	
335102	VPC-125-350 Vertical Pole Storage Car (3-1/2")	1	
300002	DC-2 Deck Chock 1) MAST - 2) DECK 403200 ONLY	3	
300072	3" Mast Mounted Chock	1	
300013	DC-TS- Deck Chock (TS & UTS ends)	1	
339008	1 1/4" T Track - 10ft (START 3.5 - 4 FEET OFF DECK)	1	EACH
339007	1 1/4" T Track - 5 ft (ADD IF TRACK STARTS AT DECK)	1	EACH
339009	MS-125 Track End Stops	2	MS-125
300013	DC-TS (INBOARD END DECK CHOCK-403202, 403203, 800800) USE 300002 FOR OUTBOARD END-ALL. 1) MAST AND 1) DECK	1	

WHISKER POLE CHECKLIST cont.

Part #	Description	Qty./Length	Pole Weights
Up to 46 Feet-Working Headsail only/Light Air			
403200	LC 13-24 UXP-UXP Whisker Pole	1	38 lbs.
403202	LC 13-24 UTS-UTR Whisker Pole	1	39 lbs.
403203	LC 13-24 UTS-UTR 50/50 Combo Whisker Pole	1	34 lbs.
800800	All Carbon LC 13-24 UTS-UTR	1	24 lbs.
300044	SC-350 Stanchion Chock	2	
332002	FC-125 Heavy Duty Car (Vertical storage O.K.)	1	
333004	T-125-S S/S Toggle Car (Vertical Storage O.K.)	1	
335102	VPC-125-350 Vertical Pole Storage Car (3-1/2")	1	
300002	DC-2 Deck Chock 1) MAST - 2) DECK 403200 ONLY	3	
300013	DC-TS- Deck Chock (TS & UTS ends)	1	
300073	3.5" Mast Mounted Chock	1	
339008	1 1/4" T Track - 10ft (START 3.5 - 4 FEET OFF DECK)	1	
339007	1 1/4" T Track - 5 ft (ADD IF TRACK STARTS AT DECK)	1	
339009	MS-125 Track End Stops	2	
300013	DC-TS (INBOARD END DECK CHOCK-403202, 403203, 800800) USE 300002 FOR OUTBOARD END-ALL. 1) MAST AND 1) DECK	1	
Up to 46 Feet-Genoa or Heavy Air			
405200	LC 15-27 UTS-UXP Whisker Pole	1	58 lbs.
405201	LC 15-27 UTS-UTR Whisker Pole	1	58 lbs.
405203	LC 15-27 UTS-UTR 50/50 Combo Whisker Pole	1	42 lbs.
800801	All Carbon LC 15-27 UTS-UTR Whisker Pole	1	32 lbs.
335103	VPC-125-400 Vertical Pole Storage Car (4")	1	
333004	T-125-S S/S Toggle Car (Vertical Storage O.K.)	1	
300002	DC-2 Deck Chock 1) MAST - 1) DECK ALL STYLES	2	
300013	DC-TS- Deck Chock (TS & UTS ends)	1	
300074	4" Mast Mounted Chock	1	
339008	1 1/4" T Track - 10 ft *	1	
339007	1 1/4" T Track - 5ft *	1	
339009	MS - 125 Marelon end stops	2	
300013	DC-TS (INBOARD END DECK CHOCK-ALL STYLES) USE 300002 FOR OUTBOARD END-ALL. 1) MAST AND 1) DECK * NEED 15 FEET OF TRACK - START 3-5 FEET OFF DECK	1	

WHISKER POLE CHECKLIST cont.

Part #	Description	Qty./Length	Pole Weights
Up to 55 Feet-Working Headsail only/Light Air			
405200	LC 15-27 UTS-UXP Whisker Pole	1	58 lbs.
405201	LC 15-27 UTS-UTR Whisker Pole	1	58 lbs.
405203	LC 15-27 UTS-UTR 50/50 Combo Whisker Pole	1	42 lbs.
800801	All Carbon LC 15-27 UTS-UTR Whisker Pole	1	32 lbs.
335103	VPC-125-400 Vertical Pole Storage Car (4")	1	
333004	T-125-S S/S Toggle Car (Vertical Storage O.K.)	1	
300002	DC-2 Deck Chock 1) MAST - 1) DECK ALL STYLES	2	
300013	DC-TS- Deck Chock (TS & UTS ends)	1	
300074	4" Mast Mounted Chock	1	
339008	1 1/4" T Track - 10 ft	1	
339007	1 1/4" T Track - 5 ft	1	
339009	MS- 125 Marelon end stops	2	
300013	DC-TS (INBOARD END DECK CHOCK-ALL STYLES)	1	
	USE 300002 FOR OUTBOARD END-ALL. 1) MAST AND 1) DECK		
	* NEED 15 FEET OF TRACK - START 3-5 FEET OFF DECK		
Up to 55 Feet-Genoa in Moderate Air*			
800801	Carbon LC 15-27 UTS-UTR Whisker Pole*	1	32 lbs.
335103	VPC-125-400 Vertical Pole Storage Car (4")	1	
333004	T-125-S S/S Toggle Car (Vertical Storage O.K.)	1	
300002	DC-2 Deck Chock	3	
300013	DC-TS- Deck Chock (TS & UTS ends)	1	
339008	1 1/4" T Track - 10ft *	1	
339007	1 1/4" T Track - 5ft *	1	
339009	MS- 125 Marelon end stops	2	
300013	DC-TS (INBOARD END DECK CHOCK-ALL STYLES)	1	
	USE 300002 FOR OUTBOARD END-ALL. 1) MAST AND 1) DECK		
	* NEED 15 FEET OF TRACK - START 3-5 FEET OFF DECK		

***Note:** Not for heavy air use. Foot dimension of sail should not exceed 25 feet. Larger sails or heavy air use require Carbon Fixed Length Poles. On larger boats or those going offshore cruising/trade wind conditions, we recommend fixed length poles. Forespar offers Carbon fiber pole for boats over 55 feet or for use with larger headsails on any boat