Safety Data Sheet

Tea Tree Power® Gel

Issue Date: 10/20/2015 Update: 9/8/2016

Section 1 Identification

Product Name Tea Tree Power® Gel

Other means of identification SKUs: 770200, 770201, 770202, 770203, 770204, 770205, 770206, 770260,

770261, 770262

Recommended Use Odor eliminator, air purifier

Manufacturer Forespar Products Corp.

22322 Gilberto

Rancho Santa Margarita, CA 92688

Tel: 1-949-858-8820

Tel: 1-800-266-8820 (Toll-free in the USA)

Emergency telephone number (with hours of

operation) 1-800-266-8820 8 a.m.-5 p.m. (USA Pacific Standard Time/California)

Section 2 Hazard Identification

EMERGENCY OVERVIEW

Color Greenish/blue

Physical State: Thick gel

Odor Tea tree like

Hazards of Product None known when used as directed. Gel substance is not intended to be handled

and should be left in container when in use.

OSHA HAZARD This product is not a "Hazardous Chemical" as defined by the OSHA

COMMUNICATION STANDARD Hazard communication Standard, 29 CFR 1910, 1200.

GHS Label No pictogram required

POTENTIAL HEALTH EFFECTS

Eye Contact May cause slight eye irritation. Corneal injury is unlikely.

Skin Contact Essentially nonirritating to skin.

Skin Absorption Prolonged skin contact is unlikely to result in absorption of harmful amounts.

Repeated or prolonged skin contact with gel may cause irritation and dermatitis

in sensitive individuals.

Inhalation No adverse effects are anticipated from inhalation.

Ingestion Small amounts swallowed incidentally as a result of normal handling operations

are not likely to cause injury; however, swallowing larger amounts may cause

injury.

COMPONENT	CAS#	AMOUNT
Tea Tree oil (Melaleuca alternifolia)	68647-73-4 & 85085-48-9	Confidential
Tea Tree oil (leptospermum petersonii)	85085-43-4	Confidential
Non-hazardous, non-toxic substance	None	Confidential
D>I> Water	None	Confidential

Section 4	First Aid Measures
Eye Contact	Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If irritation, burning or harmful effects occur, consult a physician, preferably an ophthalmologist.
Skin Contact	Some individuals can become sensitized. If itching or burning occurs wash skin with plenty of water. If skin irritation continues, seek medical attention.
Inhalation	No emergency medical treatment necessary. If an individual seems sensitive, remove them from area to avoid further inhalation.
Ingestion	If swallowed, seek medical attention immediately. Do not induce vomiting unless directed to do so by medical personnel.
Notes to Physician	No specific antidotes. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Section 5	Firefighting Procedures

Extinguishing media

Suitable extinguishing media Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguisher. Foam.

Fire Fighting Procedures

Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire-affected zone until fire is out and danger of reigniting has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety devise or discoloration of the container. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Hand held dry chemical or carbon dioxide extinguishers may be used for small fires.

of Firefighters

Special Protective Equipment Wear positive-pressure self-contained breathing apparatus(SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat,

trousers, boots, and gloves). If protective equipment is not available or not used,

fight fire from a protected location or safe distance.

Unusual Fire and Explosion

Hazards

Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon direct application of water to hot liquids.

Hazardous Combustion

Products

During a fire, smoke may contain the original material in addition to combustion products of varying composition, which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon monoxide,

Carbon dioxide.

Section 6 **Accidental Release Measures**

Released or Spilled

Steps to be taken if material Contain spilled material if possible. Collect with vacuum equipment. Collect in is suitable and properly labeled containers. Attempt to absorb or neutralize by adding materials such as Sand, Vermiculite, or Soda Ash. See Section 13, Disposal

Considerations, for additional information.

Personal Precautions

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Spilled material may cause a slipping hazard. Material becomes more slippery when wet. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. Refer

to Section 7, Handling, for additional precautionary measures.

Environmental Precautions

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See section 12, Ecological Information.

Section 7	Handling and Storage
General Handling	Avoid contact with eyes. Avoid prolonged skin contact with gel as it may lead to lead to sensitization. Wash thoroughly after handling. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.
Storage	Store at 45 -76 degrees F (4 - 25 C), away from heat and sunlight. Store in accordance with good manufacturing practices. Keep containers tightly closed and upright when not in use. Protect against physical damage. See Section 10 for more specific information. Product stored sealed and unopened at these temperatures may last from 12-24 months, depending on the product.

Section 8	Exposure Control /	Personal Protection
	Exposure control /	i ci sonat i i otcetion

Exposure Limits

Component List Value Type NOT TESTED

Personal Protection

Eye/Face Protection Use safety Glasses

Skin Protection No precautions other than clean body-covering clothing should be needed.

Hand Protection Wear gloves. Chemical protective gloves should not be needed when handling

this material. Consistent with general hygienic practice for material, skin

contact should be minimized.

Respiratory Protection Respiratory protection should be worn when there is a potential to exceed the

> exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse affects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most condition no respiratory protection should be needed; however, if discomfort is experienced,

use an approved air-purifying respirator.

Engineering Controls Ventilation

Use local exhaust ventilation, or other engineering controls to maintain airborne

levels below exposure limit requirements or guidelines. If there are no

applicable exposure limit requirements or guidelines, general ventilation should

be sufficient for most operations.

Physical State Thick gel Color Greenish/blue Odor Tea tree like

Flash Point - Closed Cup No Test Data Available Flammable Limits in Air Lower: No Data Available Upper: No Test Data Available

Auto ignition Temperature Not tested

Vapor Pressure No Test Data Available

Boiling Point (760 mmHG) Not Applicable

Vapor Density (air=1) No Test Data Available

Specific Gravity (H20=1) 0.99 - 1.01

@ 25 C

Freezing Point Not Applicable

Melting Point No Test Data Available

Solubility in Water Miscible with mechanical mixing

(by Weight)

pН 6.00 - 7.00Viscosity @ 25 C 75,000+

Section 10

Stability and Reactivity

Stability / Instability Thermally stable at typical use temperatures.

Conditions to Avoid Avoid contact with air (oxygen). Product can oxidize at elevated temperatures.

Generation of gas during decomposition can cause pressure in closed systems.

Avoid moisture. Avoid direct sunlight or ultraviolet sources.

Incompatible Materials Avoid contact with: Strong acids, Strong bases, Strong oxidizers.

Hazardous Polymerization

Will not occur.

Thermal Decomposition Decomposition products depend upon temperature, air supply and the presence

of other materials. Decomposition products from burning of containers or gel residue can include and are not limited to: Carbon dioxide, Alcohols, Ethers,

Hydrocarbons, Ketones, Polymer fragments.

Section 11 **Toxicological Information**

Acute Toxicity: Not tested

Ingestion No appropriate data on animal or human health effects is available, however this

substance may be slightly toxic if ingested in large quantities.

Skin Absorption May cause allergic skin reaction in sensitive individuals.

Sensitization Eye, nasal and skin irritation may occur in individuals with allergic response. **Repeated Dose Toxicity**

Based on available data, repeated exposure is not anticipated to cause

significant adverse effects.

Chronic Toxicity and Carcinogenicity

Not tested

Reproductive Toxicity Not tested Genetic Toxicology Not tested

Section 12 **Ecological Data**

Section 13

Disposal Information

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. FORESPAR PRODUCTS CORPORATION HAS NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN THIS SDS. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a properly licensed and permitted landfill or incinerator, suitable for this type of product.

Section 14

Transport Information

DOT Non-Bulk NOT REGULATED DOT Bulk NOT REGULATED

Shipping name Shipping class

IMDG NOT REGULATED ICOA/IATA NOT REGULATED

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative, or from the agencies that govern or regulate transportation. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Section 15

Regulatory Information

OSHA Hazard Communication Standard

This product is not a "Hazardous chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910,1200.

Superfund Amendments and Reauthorization Act of 198/6 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard No Delayed (Chronic) Health Hazard No Fire Hazard No Reactive Hazard No Sudden Release of Pressure Hazard No

Superfund Amendments and Reauthorization Act of 198/6 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

To the best of our knowledge, this product does not contain chemicals at levels, which require reporting under this statute.

Pennsylvania (Worker and Community Right-to-Know Act): Pennsylvania Hazardous Substance List and/or Pennsylvania Environmental Hazardous Substance List

To the best of our knowledge, this product does not contain chemicals at levels, which require reporting under this statute.

Pennsylvania (Worker and Community Right-to-Know Act): Pennsylvania Special Hazardous Substances List To the best of our knowledge, this product does not contain chemicals at levels, which require reporting under this statute.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product <u>does not contain</u> any chemical(s) at reportable amounts known to the state of California to cause cancer.

US Toxic Substances Control Act

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

CEPA - Domestic Substances List (DSL)

All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

Section 16	Additional Information	
------------	------------------------	--

National Fire Protection Association (NFPA)

Caution: NFPA ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.

Health 0 Flammability 0 Reactivity 0

Legend

5	
N/A	Not Available
W/W	Weight / Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Government Industrial Hygienists, Inc.
WEEL	Workplace Environmental Exposure Level
HAZ DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL, which will trigger the need for
	activities such as exposure monitoring and medical surveillance if exceeded.

Disclaimer: While the information and recommendations set forth herein are believed to be accurate as of the date hereof, Forespar Products Corp. ("Forespar") makes no warranty with respect thereto and disclaims all liability with respect thereon.

Forespar expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Do not use ingredient information and/or ingredient percentages in this MSDS as a product specification.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Forespar makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Forespar's control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.