

SCHAEFER

LEGENDARY STRENGTH



1205

Complete Kit	1205-25	1205-30	1205-36	1205-46
Extrusion Only	1205-12-EXT	1205-30-EXT	1205-36-EXT	1205-46-EXT
Extrusion Length	25' (7.6m)	30' (9m)	36' (11m)	46' (14m)
Max Head Stay Length	29' (8.8m)	34' (10.2m)	40' (12.2m)	50' (15.2)
Max Wire	Standard 1/4" Metric 6mm	Standard 1/4" Metric 6mm	Standard 1/4" Metric 6mm	Standard 1/4" Metric 6mm
Max Rod	-10	-10	-10	-10
Luff Tape	#5 (4mm) .159" OD	#5 (4mm) .159" OD	#5 (4mm) .159" OD	#5 (4mm) .159" OD
Extrusion Weight*	0.11 Lbs./ ft 0.16 Kg/M	0.11 Lbs./ ft 0.16 Kg/M	0.11 Lbs./ ft 0.16 Kg/M	0.11 Lbs./ ft 0.16 Kg/M
Kevlar Bumper (optional)	1205-10	1205-10	1205-10	1205-10
Top Cap	1205-13	1205-13	1205-13	1205-13
Feeder	1205-02	1205-02	1205-02	1205-02
Spacer Tube	1205-03 44"	1205-03 44"	1205-03 44"	1205-03 44"
Dimensional Weight*	19 Lbs. (8.6kg)	19 Lbs. (8.6kg)	19 Lbs. (8.6kg)	19 Lbs. (8.6kg)
Shipping Weight	6 Lbs. (2.72kg)	7 Lbs. (3.18kg)	8 Lbs. (3.63kg)	10 Lbs. (4.54kg)



1706

Complete Kit	1706-36	1706-46	1706-59
Extrusion Only	1706-36-EXT	1706-46-EXT	1706-59-EXT
Extrusion Length	36' (11m)	46' (14m)	59' (18m)
Max Head Stay Length	40' (12.2m)	50' (15.2m)	63' (19.2m)
Max Wire	Standard 5/16" Metric 8mm	Standard 5/16" Metric 8mm	Standard 5/16" Metric 8mm
Max Rod	-17	-17	-17
Luff Tape	#6 (5mm) .197" OD	#6 (5mm) .197" OD	#6 (5mm) .197" OD
Extrusion Weight*	0.17 Lbs./ ft 0.25 Kg/M	0.17 Lbs./ ft 0.25 Kg/M	0.17 Lbs./ ft 0.25 Kg/M
Kevlar Bumper (optional)	1706-10	1706-10	1706-10
Top Cap	1706-13	1706-13	1706-13
Feeder	1706-02	1706-02	1706-02

Spacer Tube	2206-03 44"	2206-03 44"	2206-03 44"
Dimensional Weight*	19 Lbs. (8.6kg)	19 Lbs. (8.6kg)	19 Lbs. (8.6kg)
Shipping Weight	9 Lbs. (4.08kg)	12 Lbs. (5.44kg)	13 Lbs. (5.9kg)

*Dimensional weights are for shipping purposes only. They do not reflect the actual system weight.



2206

Complete Kit	2206-46	2206-59	2206-72
Extrusion Only	2206-46-EXT	2206-59-EXT	2206-72-EXT
Extrusion Length	46' (14m)	59' (18m)	72' (22m)
Max Head Stay Length	50' (15.2m)	63' (19.2m)	76' (23.2m)
Max Wire	Standard 3/8" Metric 10mm	Standard 3/8" Metric 10mm	Standard 3/8" Metric 10mm
Max Rod	-22	-22	-22
Luff Tape	#6 (5mm) .197" OD	#6 (5mm) .197" OD	#6 (5mm) .197" OD
Extrusion Weight*	0.24 Lbs./ ft 0.36 Kg/M	0.24 Lbs./ ft 0.36 Kg/M	0.24 Lbs./ ft 0.36 Kg/M
Kevlar Bumper (optional)	2206-10	2206-10	2206-10
Top Cap	2206-13	2206-13	2206-13
Feeder	2206-02	2206-02	2206-02
Spacer Tube	2206-03 44"	2206-03 44"	2206-03 44"
Dimensional Weight*	23 Lbs. (10.5kg)	23 Lbs. (10.5kg)	23 Lbs. (10.5kg)
Shipping Weight	15 Lbs. (6.8kg)	18 Lbs. (8.16kg)	23 Lbs. (10.43kg)

*Dimensional weights are for shipping purposes only. They do not reflect the actual system weight.



3007

Complete Kit	3007-80
Extrusion Only	3007-80-EXT
Extrusion Length	80' (24.3m)
Max Head Stay Length	86' (26.1m)
Max Wire	Standard 7/16" (Metric 11mm)
Max Rod	-30
Luff Tape	#7 (6mm) .236" OD
Extrusion Weight*	0.30 Lbs./ ft (0.45 Kg/M)

Kevlar Bumper (optional)	3007-10
Top Cap	3007-13
Feeder	3007-02
Spacer Tube	3007-03 60 "
Dimensional Weight*	104 Lbs. (47.2kg)
Shipping Weight	40 Lbs. (18.14kg)

*Dimensional weights are for shipping purposes only. They do not reflect the actual system weight.



4807

Complete Kit	4807-95
Extrusion Only	4807-95-EXT
Extrusion Length	95' (28.9m)
Max Head Stay Length	101' (30.7m)
Max Wire	Standard 9/16" (Metric 14mm)
Max Rod	-48
Luff Tape	#7 (6mm) .236" OD
Extrusion Weight*	0.41 Lbs./ ft (0.62 Kg/M)
Kevlar Bumper (optional)	4807-10
Top Cap	4807-13
Feeder	4807-02
Spacer Tube	4807-03 72"
Dimensional Weight*	104 Lbs. (47.2kg)
Shipping Weight	55 Lbs. (24.95kg)

*Dimensional weights are for shipping purposes only. They do not reflect the actual system weight.




6008

Complete Kit	6008-110
Extrusion Only	6008-110-EXT
Extrusion Length	110' (33.5m)
Max Head Stay Length	116' (33.5m)
Max Wire	Standard 5/8" (Metric 16mm)
Max Rod	-60
Luff Tape	#8 (7mm) .275" OD
Extrusion Weight*	0.46 Lbs./ ft (0.69 Kg/M)
Kevlar Bumper (optional)	6008-10
Top Cap	6008-13

Feeder	6008-02
Spacer Tube	6008-03 72"
Dimensional Weight*	104 Lbs. (47.2kg)
Shipping Weight	70 Lbs. (31.75kg)


*Dimensional weights are for shipping purposes only. They do not reflect the actual system weight.



7608

Complete Kit	7608-130
Extrusion Only	7608-130-EXT
Extrusion Length	130' (39.6m)
Max Head Stay Length	136' (40.8m)
Max Wire	Standard 5/8" (Metric 16mm)
Max Rod	-76
Luff Tape	#8 (7mm) (.275" OD)
Extrusion Weight*	0.51 Lbs./ ft (0.77 Kg/M)
Kevlar Bumper	N/A
Top Cap	N/A
Feeder	7608-02
Spacer Tube	7608-03 72"
Dimensional Weight*	104 Lbs. (47.2kg)
Shipping Weight	140Lbs. (63.5kg)

*Dimensional weights are for shipping purposes only. They do not reflect the actual system weight.



TL-1003

Complete Kit	TL-1003
Extrusion Only	TL-1003-EXT
Extrusion Length	95' (29.9m)
Max Head Stay Length	101' (30.7m)
Max Wire	Standard 5/8" (Metric 16mm)
Max Rod	-60
Luff Tape	#7 (6mm) .236" OD
Extrusion Weight*	0.27 Lbs./ ft (0.41 Kg/M)
Kevlar Bumper	N/A
Top Cap	N/A
Feeder	TL-1003-02

Spacer Tube	TL-1003-72"
Dimensional Weight*	104 Lbs. (47.2kg)
Shipping Weight	40 Lbs. (18.2kg)

*Dimensional weights are for shipping purposes only. They do not reflect the actual system weight.

1"
25.4mm



TL-1004

Complete Kit	TL-1004
Extrusion Only	TL-1004-EXT
Extrusion Length	85' (25.9m)
Max Head Stay Length	91' (27.7m)
Max Wire	Standard 5/8" (Metric 16mm)
Max Rod	-53
Luff Tape	#6 (5mm) .197" OD
Extrusion Weight*	0.17 Lbs./ ft (0.25 Kg/M)
Kevlar Bumper	N/A
Top Cap	N/A
Feeder	TL-1004-02
Spacer Tube	6008-03 72"
Dimensional Weight*	104 Lbs. (47.2kg)
Shipping Weight	32 Lbs. (14.5kg)

*Dimensional weights are for shipping purposes only. They do not reflect the actual system weight.



Factory 5, 122-126 Old Pittwater Rd
 Brookvale, NSW 2100
 Tel: 61(0)2 9905 9400
www.deckhardware.com.au